

Ohio Section Amateur Radio Emergency Service
Ohio Section Emergency Response Plan
(OSERP)
April 1, 2011



Ohio Section Emergency Response Plan (OSERP)
Revised April 1, 2011
Released by the Ohio Section Emergency Coordinator
Jack Sovik KB8WPZ, kb8wpz@arrl.net

The ARES® logo is a registered service mark of the American Radio Relay League, and is used with permission of the ARRL. “Amateur Radio Emergency Service®” and “ARES®” are registered trademarks of the American Radio Relay League.

This document will be reviewed and revised on an as needed basis. Updates will be released on the following websites:

The Ohio Section ARES® website at <http://www.arrl-ohio.org/SEC/default.htm>

The Ohio Section Website at <http://www.arrl-ohio.org>

TABLE OF CONTENTS:

Quick Overview	Page 4
Purpose, Scope, Distribution	Page 5
Basis, Alerting, Wide Area Nets	Page 6
DEC Guidelines	Page 7
EC Guidelines	Page 8
Ohio Section ARES® Operating System	Page 9
Personnel Notification and Logging	Page 10
Station Requirements	Page 11
Ohio Section ARES® Operating System Diagram	Page 12
Operating Charts	Page 13
Ohio Section ARES® Net	Page 14
Health and Welfare Traffic Policy: INCOMING	Page 15
Health and Welfare Traffic Policy: OUTGOING	Page 16
List of Acronyms	Page 17
Ohio ARES® District Map	Page 18



OHIO SECTION EMERGENCY RESPONSE PLAN (OSERP) QUICK OVERVIEW

Ohio Section Amateur Radio Emergency Service®

&

ARRL – The National Association for Amateur Radio
Newington, CT



When using this plan it is MOST important to remember these four items:

1. ARES® goes into a disaster area ONLY at the request of a served agency or qualified Public Safety Service agency.
2. It is NOT the responsibility, nor function of ARES® to organize, direct or coordinate the activities of others. ARES is to provide RELIABLE, coordinated, emergency RADIO COMMUNICATIONS for served agencies upon REQUEST.
3. The Emergency Coordinator is responsible for ARES operations within his/her county as detailed herein: in the "Ohio Section Emergency Response Plan" and the "ARRL Emergency Coordinators Handbook".
 - You should not make any type of command decision unless it is a life-threatening situation which requires IMMEDIATE action.
4. ALERTING: Activation/Notification shall follow the Emergency Alerting Procedures
 - In most situations, the local Emergency Coordinator (EC) will be the first ARRL appointee to be made aware of the emergency; therefore, the flow chart essentially starts with the EC.
 - If another Amateur receives first news of an emergency, the contact paths will be reversed, or altered, as needed to be sure all essential contacts are made.
 - If telephones are operating, initial notification will probably be made by telephone.
 - If telephone service is disrupted, the Section ARES frequency shall be utilized (3.875 MHz or 7.240 MHz alt.) for alerting and notification to the extent necessary, with subsequent use of this frequency for administrative coordination purposes. Alternate HF frequencies will be assigned for other functions: Wide-area agency coordination; emergency traffic; health & welfare traffic, etc.

Ohio Section Emergency Response (OSERP)

Purpose:

The Ohio Section Emergency Response Plan (OSERP) is a simple written system and guide to provide a uniform operating system within and among the counties in Ohio. It is intended to be simple and flexible yet be able to provide for your local needs and support. If followed, it will do the following:

1. Assure an orderly and effective communications system for each county and for communications among counties and the State EOC and with other states if the need arises.
2. Provide a Section-wide notification/activation system to involve Section-wide resources should the need arise. This includes other ARES[®] groups in your district, and in other districts plus the NTS system
3. Includes information to activate the Ohio Section ARES[®] and NTS to set up whatever operations an emergency would require.
4. Provides names, telephone numbers, pager numbers and E-mail addresses and Fax numbers for key personnel to facilitate alerting and a phone list for major agencies in each county.
5. Serve as an operating outline when used for interagency communications, allows every involved agency to keep abreast of what is occurring within their area.
6. May be supplemented with other ARRL publications but does not deviate from the system established within this plan.
7. Is a system for both large and small scale operations when emergencies arise. It is not intended to be complicated or specific. It is an operating system on which to base local emergency plans. It provides a system for obtaining assistance to local areas and for communicating with other counties, the state EOC, and access to the National Traffic System (NTS).

Scope:

OSERP is designed as an operating system for all levels of the Ohio Section ARES[®]. It gives specifics for notification of District and Section-level personnel plus County Emergency Coordinators and their assistant(s). County notification systems for local ARES[®] personnel should be devised by each Emergency Coordinator to meet their local needs.

Distribution:

OSERP may be copied and distributed by DEC's and EC's as required. Every Assistant Emergency Coordinator and key personnel plus the EMA director of each county should have a copy. The SEC will be make copies available to the State EOC and to major served agencies.

BASIS:

OSERP is based on operations at the county level. This follows the organizational system used by the State for Emergency Management Agencies and Local Emergency Planning Committees (LEPC's). ARES[®] Emergency Coordinators (EC's) are appointed at the county level with each EC responsible for one county.

- For administrative purposes, counties are grouped together into districts. There are nine (9) ARES[®] Districts in Ohio. Each District has a District Emergency Coordinator (DEC). The responsibilities of the EC's and DEC's during emergencies are spelled out in the County Emergency Coordinator Guidelines (page 8) and the District Emergency Coordinator Guidelines (page 7).

ALERTING:

When an emergency arises the first knowledge of it is usually at the county level. The immediate response to an emergency is to call up local ARES[®] members and begin establishing communications. This may be accomplished by whatever system each EC has in place in their county. As soon as this is accomplished, the EC should inform their DEC and/or SEC of the situation.

- The DEC and the SEC should be contacted by phone, if possible. In the event of any major disaster all Counties, the DEC's and the SEC should monitor 3.875 MHz. for updates and information if the local communications are out. For everyone's assistance, the Ohio ARES[®] roster (issued separately by the SEC) contains phone numbers, pagers, and E-mail addresses to facilitate communicating with them when the need arises. These additions come from experience gained in recent disaster operations and are intended to enhance the ability of the ARES[®] to provide communications assistance.

In the event of any widespread communications emergency, every EC, DEC and the SEC should have an HF station monitoring 3.875 MHz. (If the EC or DEC or SEC does not have the license privileges or capability to operate at the administrative frequency, they should make arrangements to appoint an Official Emergency Station (OES), which has this capability within their county/district/section.)

WIDE AREA NETS:

Operations have proven the need for wide-area administrative nets. Once emergency operations have begun and it is apparent that the State EOC will be involved, or that there will be more than one (1) county involved, an HF station should be included in the operation of the County Control Station (CCS). The CCS can provide a link to the State EOC and allow inter-county communications and the coordination of manpower and assistance from other areas. This also allows the DEC and SEC to communicate directly with the area(s) involved.

DEC GUIDELINES:

When an emergency exists within the Section or when the SEC, SM or another DEC begin wide-area operations the following operations guide will be followed by all DEC's:

1. Each DEC will stay in their district and be ready and available to provide assistance, as requested, by the SEC or SM or other DEC's if the SEC is not available.
2. NO DEC will leave their district without the express consent of the SEC.
3. DEC's will be responsible for the following:

When there is an emergency in their district each DEC is responsible for:

- A. Determining which counties are directly involved
- B. Notifying the SEC of the emergency and keeping the SEC updated
- C. Determining which counties are likely to become directly involved if the emergency spreads
- D. Finding out the needs of the involved county(s), both immediate and projected
- E. Notifying the other EC's in the district if the emergency could spread or if assistance could be needed
- F. Setting up an administrative net (3.875 MHz.) for maintaining communications among the affected counties, the Ohio EMA, and other counties and districts, as required
- G. Obtain assistance for the affected area(s)
 - a- From other district counties in their district.
 - b- Request help from the SEC (to get assistance from other districts)
- H. Work with the SEC and other DEC's to insure that operations include all agencies, groups and government entities that are involved
 - 1) When notified of an emergency in another ARES[®] District or another Section:
 - a) Be ready to assemble assistance from your counties if requested
 - b) Notify your EC's of the possible need to provide assistance to another area
 - c) Maintain communications with the SEC
 - d) Notify the SEC of any changes in your location or any additional means to communicate with you
 - 2) Notify the SEC of any changes that would affect contacting you
 - a) Additional or different pager numbers
 - b) Cell phone numbers
 - c) Fax numbers
 - d) Other frequencies being used in your district.

- 3) When operations in your area are concluded, be sure the following are accomplished prior to securing
 - a) Check with your EC's to make sure all ARES personnel are accounted for
 - b) Pass along our appreciation to all participants
 - c) Be sure all EC's are notified that operations have concluded
- 4) Collect reports from EC's in your district
 - a) Make recommendations for certificates
 - b) File a report with the SEC

EC GUIDELINES:

When an emergency exists within the Section, or when the SEC, SM or DEC begin wide area operations, the following operations guide will be followed by all EC's:

1. Each EC will stay in their county and be ready and available to provide assistance, as requested, by the DEC or SEC, if the DEC is not available
2. NO EC will leave their county without the express consent of their DEC or the SEC
3. EC's will be responsible for the following:
 - A. When there is an emergency in their county each EC is responsible for:
 - 1) Determining the extent of the problem and evaluating their manpower needs
 - 2) Establish operations based on the guidelines in the Section Operating System
 - 3) Notify your DEC and/or SEC of the emergency
 - 4) Establishing operating schedules and request assistance from your DEC if required
 - 5) Keep your DEC and the SEC up to date on the situation in your county
 - 6) Keep logs and lists of involved amateurs
 - 7) When operations are over, be sure all amateurs are notified and return home
 - B. When notified of an emergency in another County, ARES[®] District or another Section:
 - 1) Be ready to assemble assistance from your county, if requested
 - 2) Notify your AEC's of the possible need to provide assistance to another area
 - 3) Maintain communications with your DEC and / or SEC
 - 4) Notify your DEC and / or the SEC of any changes in your location or any additional means of communicating with you
 - 5) Notify the DEC and / or the SEC of any changes that would affect contacting you
 - a) Additional or different pager numbers
 - b) Cell phone numbers
 - c) Fax numbers
 - d) Frequencies being used in your county.
 - C. When operations in your area are concluded be sure the following are accomplished prior to securing
 - 1) Make sure all ARES[®] personnel are accounted for
 - 2) Pass along our appreciation to all participants
 - 3) Be sure all amateurs are notified that operations have concluded

- 4) Collect reports and logs from your AEC's and control stations
- 5) Make recommendations for certificates
- 6) File a report with your DEC and the SEC.

OHIO SECTION ARES® OPERATING SYSTEM:

The basis for this System is at the County Level. During any emergency, the EC (Emergency Coordinator) will establish a County Control Station (CCS) from which amateur operations will be controlled and administered. Next, the EC will assign each served agency and/or individual area a Control Station" (CS) to communicate with the "CCS" and serve as a control for local operations.

These local stations "CS" would utilize two or more frequencies and operators, one for communications with the "CCS" and the other(s) for communications with amateurs working for the served agencies. For organized handling of formal traffic, each county will designate one or more Official Traffic Stations (OTS). These station(s) will operate on the traffic nets as the ONLY station(s) to handle traffic for their County and will interface with the EPICS (Emergency Planning Incident Command Station) and CS stations. For operations within the county all "CS", OTS" and the CCS" all utilize one frequency for inter-station communications, while using separate frequencies for operations on behalf of their served agencies or groups. The EC for each County will assign ALL frequencies used in his County and will notify the DEC/SEC of these assignments. In case of conflicts with adjacent Counties, the DEC/SEC will act as a Frequency Coordinator. Simplex VHF and UHF frequencies should be used for these operations whenever possible. This will keep the area repeaters available for use by amateurs shadowing officials or providing wide area coverage for an agency or requiring the use of auto patches. All ARES® operations within the County will operate under this system.

The next level to this system is the District. The DEC of each district will maintain operations on 3.875 MHz. during ALL communications emergencies within the District. The DEC and/or SEC will be in contact with the CCS" in each county and also with the SEC and SM at State Level. All Inter-County, Intra-District frequencies will be assigned by the DEC/SEC. Any EC needing help from outside his county will contact his DEC/SEC giving a complete list of the number of operators required, how they should be equipped. where to send them and how long they will be needed. The DEC/SEC will then decide where to get the help from and will contact EC's in these areas to get the required personnel and route them directly to their operating assignment. The DEC will oversee intra-district communications and aid the local EC's where needed. At the section level the SEC and SM will oversee operations Section-wide and coordinate the Districts. All Intra-Section and Inter-Section frequencies will be assigned by the SEC or SM. Interaction from Section to Section will be at the Section level unless it is designated by the SEC or SM to District or County level. All Section communications for SM. SEC and DEC's should be taken to 3.875 or routed via their instructions.

The above System is Section-wide and will be followed during ALL emergency operations involving ARES® Personnel. All EC's. Assistant EC's and ARES® Personnel should be familiar with this System and capable of operating as it prescribes.

PERSONNEL NOTIFICATION:

The following criteria should be observed for all call-ups of ARES® Personnel. Please be sure to notify ALL the proper people immediately. In the event that a person is not available, notify either the alternate or the immediate superior of that person. This is vital to insure the proper operation of Amateur Radio during an emergency.

OCCURRENCE:

Public Service Events & Local Drills
Emergency in your County
Emergency Spreading to adjacent County

When you need assistance

NOTIFY:

Notify local ARES® personnel
Notify local ARES® Personnel, DEC/SEC
Notify your DEC / or SEC and adjacent
County EC
Notify your DEC and/or SEC*

When requesting assistance you will need to know the following information:

1. Number of amateurs required
2. How long will assistance be needed (you can estimate this)
3. What kind of equipment will be needed
4. What kind of physical and weather conditions in which they will be operating.

LOGGING:

ALL STATIONS WILL MAINTAIN COMPLETE LOGS.

All fixed stations operating during an emergency must maintain a complete log of their operations. This log will contain the TIME (in UTC) of each message, the CALL of the contacted station and MESSAGE CONTENT of the message. A copy of all FORMAL TRAFFIC will be kept and become part of the log. Each log sheet will contain the OPERATING CALLSIGN, the location of the station, the call of the operator and be signed by the control operator.


Mobiles should log the STATION CALLED, TIME, and brief CONTENT of each message. Each log should contain the operator's call sign and date and operators signature.

ALL LOGS will be kept as a part of the ARES® records. If an operator requires copies for his/her own log, copies should be made and the originals remain with the ARES®.

STATION REQUIREMENTS:

1. COUNTY CONTROL STATIONS (CCS) should, if possible, be an existing station that meets the following requirements. They should be located on high ground, have emergency generators either co-located or immediately available and have sufficient space to allow at least three (3) operators to operate simultaneously. Again, the use of existing stations, where possible, will save setup time. These stations must be able to operate on 3.875 MHz and at least two (2) vhf/uhf frequencies and are encouraged to make use of other bands (6m, 10m etc.). The EC shall be in direct control of the COUNTY CONTROL STATION and use it to control all amateur operations within his jurisdiction. Other equipment at these stations should include a complete set of maps of the area and adjoining areas plus other emergency supplies deemed necessary. COUNTY CONTROL STATIONS (CCS) should be located outside of the disaster area to facilitate access and insure the safety of the operators.
2. CONTROL STATIONS (CS) will be set up at the headquarters of each served agency and at local command posts in affected areas. These stations shall be capable of operating on at least two (2) vhf/uhf frequencies. One of these frequencies will be used as a link to the CCS and other CONTROL STATIONS (CS's) while the other one will be used to communicate with operators assigned to that served agency (additional frequencies may be added if needed)
3. OFFICIAL TRAFFIC STATION (OTS) should be existing stations that are not in the immediate disaster area. These stations should be adequately staffed and able to operate on emergency power and must be capable of operating on 80 Meters and VHF / UHF frequencies. They will maintain communications with the CCS and other agencies as well as other local Amateurs who can handle H&W traffic. One of the main purposes of these OTS stations is to act as direct links to the Section Traffic Nets. During Communication Emergencies these stations would handle ALL incoming and out-going formal traffic
4. SECTION AND DISTRICT LEVEL STATIONS should be existing stations if possible. These stations will be operating on HF and should be able to operate at full legal power. They should be able to operate on all HF frequencies and VHF/UHF frequencies in their area. Whenever possible there should be back-up equipment for all bands and modes. These stations should be manned as each situation requires and capable of 24 hour operation for extended periods, if required.

Ohio Section ARES® Operating System Diagram



ARES® Frequency Assignments

Section:	District:	County:
Date:	Signature:	

Section wide Frequency Assignments

Administrative	3.8750 MHz 7.240 MHz (Alt.)
Emergency	3.9870 MHz
Traffic	3.9725 MHz
Data	3.6050 MHz
CW	3.5770 MHz

Additional Section and District Frequencies Assignments

#	Organization	Frequency (MHz)	Mode (FM, SSB...)	CTCSS

COUNTY FREQUENCY ASSIGNMENTS: To be made by the county EC

Primary Count Control Frequency: _____ MHz

Control Station Frequency Assignments (for served agencies and other uses)

#	Agency (or use)	Call Sign (may be Tactical Call Sign)	Frequency

Local Traffic Nets (these link to county OTS)

#	Net Name	Frequency (MHz)

Additional frequencies small groups or shadowing officials or direct links

#	Use	Call Sign	Frequency (MHz)

Health and Welfare Traffic Policy: INCOMING

In the first 72 hours following a disaster, which interrupts normal communications, Ohio will observe a total moratorium on incoming Health and Welfare (H &W) traffic.

1. Net Control Stations (NCS) should enforce the moratorium on their net session(s) by refusing to list traffic bound for the disaster area if it bears "Welfare" (W) precedence. It is the responsibility of each Net Manager (NM) to see that all of their NCS operators understand this policy
2. NCS should periodically announce on the Net that the moratorium is in effect so that all Net participants are aware of this policy
3. Any Ohio station that receives an H & W message bound for the disaster-area should immediately service the message back to the originating station, with the explanation, 'NO OUTLET IN OHIO UNTIL (date). H &W traffic should not be 'stockpiled' in Ohio during the moratorium
4. The Section Traffic Manager (STM), the Section Manager (SM), or the Assistant Section Manager (ASM) may lift the moratorium on incoming H &W traffic during the initial 24-hour period if each of three conditions are met:
 - A. The STM, SM or ASM judge that Ohio's Section Nets are capable of handling the additional traffic load imposed by incoming H & W traffic without adversely affecting their ability to efficiently move messages with higher precedence's ('Emergency' or Priority');
 - B. In consultation with the local EC and traffic handlers in the disaster area, the STM, SM or ASM determine that resources are available to receive the incoming H & W messages, deliver them and originate messages in response, all without adversely affecting higher-priority communications in the disaster area
 - C. The STM, SM or ASM advises all Section Net Managers of the lifting of the moratorium and of the proper routing of incoming H &W traffic, as determined in consultation with the local EC (or his assignee) or the DEC and the traffic handlers in the disaster area.
5. After the initial 72-hour period, the STM (or SM or ASM), the local EC, the DEC and the Net Manager of any local NTS Net will jointly decide whether the moratorium should be continued. This situation will be reviewed at 1 2-hour intervals, until the circumstances allow lifting of the moratorium. Only the Section Traffic Manager, Section Manager or Assistant Section Manager may officially lift the moratorium and they will do so by advising each Section Net Manager by radio or telephone
6. Any incoming H & W traffic which cannot be delivered within 24 hours of its acceptance in Ohio should be serviced back to the originating station.

Health and Welfare Traffic Policy: OUTGOING

Following a disaster which interrupts normal commercial communications, it is the policy of the Ohio Section that an outgoing Health and Welfare (H & W) message service for the individuals in the disaster area is a vital function which should be established as soon as possible.

1. The local Emergency Coordinator (EC) or his assignee, in consultation with the DEC, the STM (or the SM or ASM) and local traffic handlers, should act to assign resources to allow the establishment of station(s) to originate outgoing H & W traffic for individuals in the disaster area. This service should normally be offered at temporary shelter(s) established to house or aid the survivors
2. In the event that the local EC does not have the resources to allow the establishment of this service, the DEC or SEC will assemble the necessary resources from other counties and will make them available to the local EC or his assignee for deployment
3. The outgoing H & W message service(s) will continue in operation until normal communications are re-established, or until the local EC determines that there is no further need for the service, and he has so notified the DEC, SEC and STM
4. Outgoing H & W messages should be originated so as to speed their transmission throughout the traffic system. The following guidelines are recommended:
 - A. Texts should be limited to no more than 10 words
 - B. Texts should be standardized as much as possible to allow their transmission in books
 - C. Standardized ARL message texts should be used. Form FSD-244 should be used for originations, if possible
 - D. Messages which request a reply should NOT BE ACCEPTED.

Quick list of acronyms used in this document:

AEC – Assistant Emergency Coordinator
ARES® – Amateur Radio Emergency Service
ARRL – American Radio Relay League, the National Association for Amateur Radio
CS – Control Station
CCS – County Control Station
DEC – District Emergency Coordinator
EC – Emergency Coordinator
EMA- Emergency Management Agency
EOC – Emergency Operations Center
H&W – Health and Welfare
HF – High Frequency
LEPC – Local Emergency Planning Committee
NTS – National Traffic System
NTS-D – National Traffic System - Digital
OES – Official Emergency Station
OSAN – Ohio Section ARES® Net
OSERP – Ohio Section Emergency Response Plan
OTS – Official Traffic Station
SEC – Section Emergency Coordinator
SM – Section Manager
UHF – Ultra High Frequency
UTC – Universal Time, Coordinated
VHF – Very High Frequency



Ohio Section
ARES® Districts



The ARES® logo, "Amateur Radio Emergency Service®" and "ARES®" are registered service marks of the American Radio Relay League, and are used with permission.